

**NOTICE OF DECISION ON REQUEST FOR DETERMINATION OF WHETHER  
A CERTIFICATE OF NEED IS REQUIRED  
THE DEPARTMENT OF HEALTH AND SOCIAL SERVICES**

In accordance with 7 AAC 07.031, the Department of Health and Social Services (DHSS) has determined that a certificate of need is not required for the health care project or activity described below:

**Project/Activity:** Establish Independent Diagnostic Testing Facility

**Applicant's Name:** Imaging Associates, LLC

**Project/Activity Service Area:** Eagle River, Alaska

**Estimated Cost of Project/Activity:** \$1,476,667.00

**Summary of Decision:**

Imaging Associates, LLC proposes to purchase an existing IDTF from Providence Imaging Center, currently located at 17101 Snowmobile Lane in Eagle River, AK, and relocate to 12001 Business Boulevard, Eagle River, AK. Imaging Associates plans to provide existing services as well as ultrasound and mammography services. Since the project is below the CON statutory threshold, and there is no issue regarding expanded or additional services, the proposed project does not require a CON.

Copies of the request for determination and this decision are available on the Certificate of Need website at: <http://hss.state.ak.us/Apps/CertNeed/>. Copies may also be obtained by contacting the certificate of need program coordinator by phone or email as follows:

Alexandria Hicks, Coordinator  
Certificate of Need Program  
3601 C Street, Suite 978  
Anchorage, AK 99503-5924  
Phone: (907) 754-3428  
Email: Alexandria.hicks@alaska.gov

A person who requested a determination under 7 AAC 07.031 may seek reconsideration of the determination by submitting a written request for reconsideration to the department. A request for reconsideration must be postmarked no later than October 6, 2018 and be made in conformance with 7 AAC 07.033. A decision under 7 AAC 07.033 constitutes the final administrative decision of the department.

DATE: April 7, 2021  
Anchorage, Alaska

/s/Alexandria Hicks, Certificate of Need Program Coordinator